

## ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

---

**Date/Time:** October 8, 2002/ 12:30 PM

**Site Contact(s):** Steve Nesta  
**Phone:** 303-966-6386

**Regulatory Contact:** David Kruchek  
**Phone:** 303-692-3328

**Agency:** CDPHE

---

**Purpose of Contact:** RCRA Closure of Tent 7, part of Unit 15

---

### Discussion

In accordance with Section 5.0 Closure of RCRA-Regulated Units of the RSOP for Facility Component Removal, Size Reduction, & Decontamination Activities, a RCRA-regulated unit may be removed prior to submittal of the required unit specific closure information through the consultative process and concurrence of the LRA. The LRA's concurrence will be documented in a Contact Record, a copy of which will be entered into the project specific AR file. This contact record serves this purpose, based on a conversation and subsequent agreement between Steve Nesta and David Kruchek (a previous conversation outlining this strategy was held with James Hindman on October 2, 2002, he also concurred with the approach). An RSOP notification will be submitted subsequent to this contact record that will address the remainder of the RCRA closure for Unit 15 and Unit 35 (Tent 10 permacon).

In December 1995, Tent 7 was incorporated into the RFETS RCRA Permit in order to support the storage of pondcrete, saltcrete and associated waste forms. This tent stored crated waste at this point in time. In 1999, the permit was modified to allow for storage of additional types of containerized waste, including liquids. This modification required the use of spill containment pads for the storage of liquid containers. A recent review of the operating record including weekly inspection logs, ECATS, PATS, and the Spill Occurrence report, from December of 1991 to the present confirms there has not been a release of hazardous or mixed waste to the asphalt floor of Tent 7. A visual inspection of Tent 7 by RISS Environmental Compliance personnel verified the absence of hazardous or mixed waste stains and/or residues.

Contact Record 4/10/00

Rev. 10/11/00  
DOCUMENT CLASSIFICATION  
REVIEW WAIVER PER  
CLASSIFICATION OFFICE

CEX-105-01

Page 1 of 2



ADMIN RECORD

IA-A-001185

Section 5.1.1 of the RSOP for Facility Component Removal, Size Reduction, & Decontamination Activities, Option 1, states that two criteria must be met and agreed to by the LRA: a review of the Operating Record and a visual inspection of the unit to verify no stains or residuals.

---

**Contact Record Prepared By:** Steve Nesta

---

**Required Distribution:**

R. DiSalvo, RFFO  
S. MacCleod, RFFO  
J. Legare, RFFO  
N. Newell, CDPHE  
S. Gunderson, CDPHE  
T. Rehder, USEPA  
R. Lietner, K-H 371  
C. Alstatt, K-H MS  
C. Deck, K-H  
C. Gilbreath, K-H 771  
T. Hopkins, K-H 776  
S. Nesta, K-H RISS

J. Hindman, CDPHE  
D. Shelton, K-H  
K. North, K-H ESS  
A. Rosenman, K-H ESS  
J. Mead, K-H ESS

**Additional Distribution:**

K. Kehler, K-H RISS  
D. Kruchek, CDPHE  
S. Tower, RFFO